


Inventory list







Version aft master cabin

GENERAL SPECIFICATIONS _____

 L.O.A Hull length L.W.L. Beam Deep draught (min) Shallow draught (min) Air draught (max) Light displacement (EC) 	17.80 m 17.20 m 15.00 m 4.93 m 2.60 m 2.10 m 23.40 m 22 055 kg
3 ()	22 055 kg 480 l (+ 185 l Optional equipment:)
Freshwater capacityEngine power	1 000 l 110 HP - 160 HP

ARCHITECT / DESIGNERS _____

 Naval Architect 	Far Yacht Design
 Styling 	AB Concept / Franck Darnet Design

EC CERTIFICATE____

Category A	10 persons
Category B	11 persons
Category C	14 persons

STANDARD SAIL LAYOUT AND AREA __

Mainsail (classic)	74.00 m ²
Genoa	94.00 m ²
Spinnaker	220.00 m ²
• 1	20.00 m
• J	6.53 m
• P	19.10 m
• E	6.87 m
• SL	20.00 m
• SMW	11.70 m



Inventory list

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification.

- · Monolithic design hull (Polyester-reinforced fibreglass)
- Monolithic structural counter moulding laminated and bonded to the hull
- Fibreglass and balsa wood sandwich deck, covered with "diamond-tip" type non-slip surface
- · Stainless steel protective banding each side of the hull
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Underhung rudder with compound stock and stainless steel bearing collars
- · White coloured hull Blue and Gold hull decoration

DECK EQUIPMENT

RIGGING

- Classical mast 9/10st aluminium anodised keel stepped 3 Cross tree levels
- 2 Retractable steps
- · Deck partner fitting with swivel blocks
- Mainsail luff track without bearing traveller
- · Anodised aluminium boom
- Discontinuous stainless steel single strand standing rigging -Stainless steel stay bolt plate taken up on bow - Shroud bolt plates, taken up by stainless steel tie rods on the structural counter moulding - Stainless steel backstay bolt plates on transom
- · Backstay double
- · Fixed boom kicking strap
- Genoa furler manual Drum on deck
- · Mainsail sheet track
- 2 Genoa sheet tracks 2 Genoa car sliders 2 Single bearing blocks for genoa sheet leads
- Running rigging: 1 Genoa halyard 1 Main halyard 1 Boom topping lift - 3 reef lines - 1 Mainsail foot - 2 Genoa sheets - 1 Main sheet - 2 Mainsail traveller pass controls
- 2 cheek blocks 6 Sheaves
- 8 Clutches
- 1 Halyard rack at mast foot
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- 4 Flexible vent stems, mounted on dorade boxes
- WINDEX

WINCHES

Winches Harken

- 2 Primary genoa sheet winches (H70.2 STC)
- 1 Electrical manoeuvring winch To starboard (H46.2 STCE)
- 1 Port rigging winch (H46.2 STC)
- 2 Winch handles
- · 2 Winch handle boxes in the rope locker

MOORING - ANCHORING

- Self-draining chain locker 2 Access hatches
- · 1 Stainless steel bow fitting
- · Double bow roller
- 2000 W Vertical electrical windlass Fitted onto deck Remote control
- 8 Stainless steel mooring cleats, (2 forward 4 amidships 2 aft)
- · Bow thruster Control at steering station

SAIL LOCKER

- · Access through lockable deck hatch
- · Companionway ladder in stainless steel
- · Shelves along inside of hull

SAFETY ON DECK

- Stainless steel pulpit Open solid wood steps
- Stainless steel pushpit
- Double guardrails Stainless steel stanchions
- Side opening in port and starboard guardrails
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- · Removable solid wood seats on pushpits
- Handrails in stainless steel to the front of deck house
- · Stainless steel pulpit guard for air vents

COCKPIT CENTRAL

- Self-draining cockpit
- Stainless steel and PMMA protective windscreen
- · Cockpit surrounded by solid wood bulwark
- · Cockpit benches and bottom decked in solid wood
- 1 Storage locker
- 2 Rope lockers
- Steering station to forward port in cockpit Adjustable soild wood helmsman seat
- 1 Stainless steel steering wheel on partition Diameter 800 -Leather-covered - Hydraulic steering gear on partition
- 1 Emergency tiller
- 1 Steering compass on binaccle
- Engine control at steering station Engine control panel facing steering station under windscreen
- Solid wood cockpit table 2 flaps Cool box Protective PVC cover
- Space for navigation electronics (optional) facing steering station under windscreen
- 2 Waterproof loudspeakers
- Inwardly retractable companionway door and sliding companionway hatch in PMMA

AFT QUARTERDECK

- 1 Gas box locker to port aft
- 1 Rubbish locker to starboard aft
- · 2 Large lockable lockers to port and starboard aft
- 1 Sliding and swinging gangway on aft swim deck hydraulicassisted opening (Patent Bénéteau) - Remote control - Solid wood decked
- 1 Life raft locker under gangway steps
- 1 Stainless steel swimming ladder solid wood steps
- 1 Hot and cold cockpit shower



Inventory list

INTERIOR

- · Alpi woodwork in fruit tree colour matt varnish
- · Parquet type matt-varnished floors
- Padded ceilings

COMPANIONWAY

- · Headroom: 2.18 m
- Companionway steps with wood surround and non-slip surface
- · 2 Wooden handrails fitted into companionway
- · Oilskins cupboard to port

SALOON

- · 2 Fixed hull porthole(s) with blackout curtains
- 4 Opening portholes in coaming with blackout curtains
- · 2 Opening deck hatches with roller blinds
- 1 3-section panoramic porthole with blinds
- · Mast covered with wooden casing

CHART TABLE TO STARBOARD

- · Headroom: 2.18 m
- Control console with flap glove boxes Storage Moulded wood beading
- · Wooden helmsman seat with moulded form Storage locker
- · Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 2 Loud speakers
- Storage Drawers glove boxes

PORT SALOON

- · Headroom: 1.98 m
- Dished bench seat with triple thickness foam seating / double thickness foam backrest
- 4 Matching decorative cushions
- Storage space behind and under bench seat
- Foldaway saloon table convertible to cocktail table Varnished wooden top, inlay and laminar wood - Central leg
- Cupboard Closed cubbyholes Stainless steel and wood beading
- 2 Removable folding moulded wood seats and cushion

STARBOARD SALOON

- Headroom: 1.98 m
- 1 2-seater bench with central armrest
- Shelf / Sideboard removable (Storage under bench)
- · Closed cubbyholes

GALLEY

- · Headroom: 2.18 m
- U-shaped kitchen
 Synthetic regin workt
- Synthetic resin worktop
- Closed cubbbyholes and storage cupboards
- 1 Stainless steel sink 2 rectangular basins
- Gas cooker 3 burners Oven Grill Stainless steel, mounted on gimbals - Stainless steel protection handrail
- Electric extractor hood
- 1 Fridge in stainless steel 130 I front opening
- 1 Cold storer 150 I top opening
- 1 Fixed hull porthole(s)
- 2 Opening portholes in coaming
- 2 Opening cockpit porthole

FORWARD CABINS

- Headroom: 1.97 m
- 2 Symmetrical cabins each one consisting of:
- Double bed (2,02 x 0,84 x 1,86) Double thickness marine mattress (treated anti mite, fungicidal, bacteriacidal, allergenic)
- Drawers Hanging locker
- 1 Fixed hull porthole(s) with blackout curtains
- 2 Opening deck hatches with roller blinds

FORE WASHROOM

- · Headroom: 1.94 m
- 2 Private toilet closet each with:
- · Glass bowl top, fitted washbasin Mixer tap hot / cold water
- Large size marine toilet Seat
- Storage
- Mirrors
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- 1 Shower compartment reached through the 2 toilet closets, with:
- Compound monobloc casting washroom
- 2 Frosted PMMA shower panel
- shower mixer tap hot / cold water
- 1 Opening deck hatch with roller blind

PASSAGEWAY

- Engine compartment access door
- Electrics panel
- Panel for installing optional extra controls (e.g.: Air conditioning - Heating - Generator)
- · 2 Opening cockpit porthole

PASSAGEWAY HEAD COMPARTMENT

- Compound monobloc casting washroom
- Glass bowl top, fitted washbasin Mixer tap / Shower hot / cold water
- · Large size marine toilet Seat
- Mirrors
- 1 Rigid sewage tank (50 liter)
- Storage
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- 1 Opening portholes in coaming with roller blind

STARBOARD WALKWAY CABIN

- 1 Single bed (1,95 x 0,51 x 0,63) Marine mattress
- Drawers 2 Cupboards shelves glove boxes
- 1 Opening portholes in coaming with blackout curtains
- 1 Fixed hull porthole(s) with blackout curtains

OWNER'S AFT CABIN

- Headroom: 2.13 m
- Double bed island bed (2,00 x 1,30 x 1,80) Lathed bed base
 Double thickness marine mattress (treated anti mite, fungicidal, bacteriacidal, allergenic) Padded bedstead
- 2 Bedside tables
- Drawers glove boxes Closed cubbyholes Wardrobe Shelves with wood beading
- · Desk / Dressing table
- · Sideboard bench seat
- 2 Fixed hull porthole(s) with blackout curtains
- 2 Porthole(s) opening on aft quarterdeck with blackout curtains
- 1 Opening portholes in coaming with blackout curtains
- 2 Opening deck hatches with roller blinds



Inventory list

WASHROOM OWNER'S

- Headroom: 2.00 m
- Separate shower Compound monobloc casting washroom -Shower guard PMMA - shower mixer tap hot / cold water
- · Glass bowl top, fitted washbasin Mixer tap hot / cold water
- · Large size electric marine toilet Seat
- Storage
- Mirrors
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- · 1 Opening portholes in coaming with roller blind

ENGINE

- Engine YANMAR Diesel 160 hp
- Engine chassis integrated into counter moulding hull structure
 Engine fixed with elastic suspension
- Engine compartment: under central cockpit Soundproofing foam
- Engine control Key ignition Control panel (Lighting, Ignition key, Rev counter, Hour meter, Oil pressure gauge, Water temperature indicator and warning, oil pressure and charge warning, diesel gauge) at steering station
- 1 Alternator 12V: 80 Amperes
- 1 Alternator 24V: 55 Amperes
- 2 Roto moulded diesel tanks (total 480 I Aft cabin(s)) 1 Deck filler in stainless steel - Interconnecting valve system - Gauges
- Filters: Sea water Diesel Decanter
- Stainless steel propeller shaft (40mm diameter)mounted in polyester hull heel
- 3 -blade propeller Max Prop
- 1 Engine access door in walkway Access through companionway fitted with hinges and gas pistons Access through cockpit bottom for «major work»

ELECTRICITY

- 12V and 24V circuit
- 220 V circuit
- · Ducts for cables
- Ducts with messanger lines for threading cables of electrics or navigation electronics optional extras

12V AND 24V CIRCUIT

- Equipment on 12V: Radio CD player/MP3 Electronic (optional)
- Equipment on 24V: Electric windlass Bow thruster Pumps -Navigation lights - Lighting - Fridge / Cold storer
- 1 Engine start 12V battery, 140 Amp
- 1 24 V 280 Amperes service battery set (4 x 12 V -140 Amperes batteries)
- Battery switch
- 1 12 V 20 Amperes battery charger
- 1 24 V 40 Amperes battery charger
- Amperes Charge divider
- 1 Alternator 12 V: 80 Amp
- 1 Alternator 24 V: 55 Amp
- 12 / 24 V Electrical panel 25 Functions Voltmeter, Ammeter, Circuit breakers, Test batteries, Panel lighting, Water gauge
- 12V Chart table socket 12V Cockpit socket

220 V CIRCUIT

- Equipment on 220V: Cabin sockets (1 in each cabin, 1 at chart table, 2 in kitchen, 2 in saloon) - Water heater - 2 Battery chargers - Microwave oven (Options) - Dishwasher (Options)
- 220V shore power protected by differential circuit breaker linked to distribution switchboard
- 220V Electric control panel

LIGHTING

24 V circuit

- Low consumption halogen ceiling lights in cabins, saloon and kitchen with separate switches
- · Fluorescent ceiling lights in toilet closet
- · Courtesy lights in saloon
- · Shade lamps in saloon and master cabins
- · Ceiling light in engine compartment
- · Reading lights in cabins
- Automatic lighting in hanger closets

NAVIGATION LIGHTS / DECK

- 1 Port/starboard prow light on pulpit
- 1 Sternlight on pushpit
- 1 Steaming light
- 1 Mooring light on masthead
- 1 Deck searchlight

PLUMBING

- 4 Polyester freshwater tanks (1000 liter in the saloon) 2 Stainless steel deck water fillers - Vents - Interconnecting valve system - Gauges
- Pressurised electric water pump Accumulator tank Inline filter
- Water heater 42 liter (Operation off engine or on 110/220 V electrical system)
- 1 Rigid sewage tank (50I) in walkway toilet
- Automatic electric shower drain pumps
- 1 Manual bilge pump 1 Electric bilge pump 1 Electric bilge pumps with automatic start mechanism
- 1 Electric ice box drain pump

GAS

- Gas box in port aft locker Space for 2 bottles (no bottle)
- · Supply system in copper
- · Pressure reducing valve and safety tap



Inventory list

SERIES PREMIUM

	PREMIUM*
Steel blue colour hull - White and Gold hull decoration	•
Catwalks decked in natural solid wood	•
2 Stainless steel mast foot pulpits	•
WIndlass control in cockpit with chain counter	•
Speakers Bose Acoustimass® 3 Black in the saloon	•
220V Microwave oven	•
220V Dishwasher	•
Bunk berths in the walkway cabin	•
2 140 amperes additional service batteries - 24 V	
Shore freshwater supply	•
Seawater deck wash in chain locker	•
12V refrigerator unit in cockpit table	•
Washing machine - 220 V Tumble dryer	•
Additional 185l diesel tank	•
9.5 KVA Generator 220 V / 50 Hz - with casing	•
Pack Electronic RAYMARINE	•

DESCRIPTION PACK ELECTRONIC RAYMARINE

Steering wheel on partition

Instrument console:

- ST 290 Data repeater screen
- Graphic displays ST 290
- Analogue anemometer wind indicator ST 290
- Analogue tiller angle indicator ST 290
- Multifunction screen E80 LCD colour 8,4" (GPS chart plotter - Cartography chart mapper Navionics Gold, supplied without chart), Radar function
- Secondary VHF receiver, Loudspeaker RAY 240 E
- Automatic pilot with control console ST 290, LS RV2

Chart table:

- Graphic displays ST 290
- VHF DSC , Loudspeaker RAY 240 E
- Autopilot remote control, Wireless instruments repeater Smartcontroller
- PC interface
- · Radome aerial for radar function
- Gyro compass sensor

Steering wheel on column (optional)

Instrument console:

- ST 290 Data repeater screen
- Analogue anemometer wind indicator ST 290
- Analogue tiller angle indicator ST 290
- Multifunction screen E80 LCD colour 8,4" (GPS chart plotter - Cartography chart mapper Navionics Gold, supplied without chart), Radar function
- Secondary VHF receiver, Loudspeaker RAY 240 E

Steering wheel console:

- Automatic pilot with control console ST 290, LS RV2
- Offset digital keyboard ST 290 for graphic screen control + Data
- Graphic displays ST 290

Chart table:

- Graphic displays ST 290
- VHF DSC , Loudspeaker RAY 240 E
- Autopilot remote control, Wireless instruments repeater Smartcontroller
- PC interface
- · Radome aerial for radar function
- Gyro compass sensor

^{*} Additional equipment available on special Premium



Inventory list

OPTIONS

- · Receiver AIS Raymarine
- 2 nd Multifunction colour screen Raymarine E 80 or E 120 at the chart table
- Steering wheel on column
- Manual or electric anodised mast furling system (without sail)
- Electric genoa furling system (without sail)
- Cruise sails for standard mast (Genoa 140% on furling with anti-UV protection strip - Standard bearing traveller mainsail, 3 Reef bands, Full batten)
- Cruise sails for furling mast (Genoa 140% on furling with anti-UV protection strip - Furling mainsail)
- Releasable fore-stay chain-plate + Sail tack
- Manual or electric fore stay sail furling system (without sail)
- · Fore stay sail for furling
- Asymmetric spinnaker rigging (1 Halyard winch 46.2 STC HARKEN on mast - 1 Halyard - 1 Boom lift - 2 Spinnaker sheets - Blocks - Clutches)
- Symmetrical spinnaker rigging (1 Halyard winch 46.2 STC HARKEN on mast - 1 Halyard - 1 Boom lift - 2 Sheets and 2 spinnaker arms - Blocks - Clutches)
- Anodised spinnaker pole with storage on mast and trim track on front of mast
- Port electric manoeuvring winch H46.2 STCEH (In replacement of standard)
- Electric genoa sheet winches H77.2 STCEH (In replacement of standard)
- 2 Spinnaker sheet winches H53.2 STC
- Electric davits 300 kg Bezenzoni
- Loading mast in boom
- Wood and aluminium gangway
- · Deck house and cockpit surround decked in solid wood
- 2 or 3 hooped blue captain deck house hood
- Blue captain sun awning
- Blue captain bimini top
- Bleu captain cockpit cushions
- Blue captain sun mattress
- 3 blade propeller Gori
- Rope cutter
- (24 / 220 V 60 L/H) Water maker
- · Air conditioning
- Heating
- · Ice maker
- · Additional electric toilets
- · Additional holding tank
- Safe
- · mosquito nets
- 20" LCD TV in saloon or aft cabin TV aerial Player DVD / CD / MP3